

BULWARK BW 442

(Nitrile with Tongue Cover)

Certified to European Standards



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

DESIGN	High Ankle
UPPER	Grain Barton Black with Tongue Cover
SOLE	Direct Moulded Nitrile
TOE CAP	200 Joules Steel Toe
QUARTER LINING	FABTEX Laminated with Foam
HEIGHT	115 mm
VAMP LINING	Non-Woven
IN – SOCKS	Moulded FABTEX Laminated with EVA
INSOLE	Non-Woven Strobel



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com

CONSTRUCTION	Direct Moulded
ANTI-STATIC	100 K OHMS – 1000 M OHMS
EYELETS	D-Ring, Brass Oxidized Black
TONGUE	Split Barton Black Tongue Cover for Additional Protection
THREAD	Black Ticket No. 20
SIZES AVAILABLE	5 – 12
STANDARDS	EN ISO 20345
OPTIONS AVAILABLE	Steel Mid Plate, Gel Pad Socks Etc.
ELECTRICAL RESISTANCE	15 KV



BULWARK[™]
DESIGNED TO PROTECT

We know what protects you the best!

info@bulwarkshoe.com